

iGUIDE Overview									
Indication English	Applicator			Applicator			Applicator		
A-Z	Mat	Timer	Intensity	Pillow	Timer	Intensity	Probe	Timer	Intensity
Archilles tendinitis									
morning		16	150		16	400		8	100
noon		16	150		16	400		8	100
evening		16	150		16	400		8	100
night		16	150		16	400		8	100
Acne									
morning		8	25		16	25		16	25
noon		8	25		16	25		16	25
evening		8	25		16	25		16	25
night		8	10		16	25		16	25
Acoustic neuroma									
morning		8	25		16	100		8	100
noon		8	25		16	100		8	100
evening		8	25		16	100		8	100
night		8	10		16	100		8	100
Acute injury									
morning		8	50		16	100		16	150
noon		8	50		16	100		16	150
evening		8	25		16	100		16	150
night		16	10		16	100		16	150
Adenomyosis									

morning		8	10		16	50		8	100
noon		8	50		16	50		8	100
evening		8	50		16	50		8	100
night		8	10		16	50		8	100
Aids									
morning		16	50		16	10		16	10
noon		16	50		16	10		16	10
evening		16	50		16	10		16	10
night		16	10		16	10		16	10
Allergies									
morning		16	25		16	25		16	25
noon		16	25		16	25		16	25
evening		16	25		16	25		16	25
night		16	10		16	25		16	25
Alopecia									
morning		8	25		8	25		8	50
noon		8	25		8	25		8	50
evening		8	25		8	25		8	50
night		8	25		8	25		8	50
Alzheimer´s dementia									
morning		8	150		16	25		16	25
noon		8	150		16	25		16	25
evening		8	100		16	25		16	25
night		16	sensitive		16	25		16	25

Amenorrhoea									
morning		16	25		16	25		16	50
noon		16	25		16	25		16	50
evening		16	25		16	25		16	50
night		16	10		16	25		16	50
Amyotrophic lateral sclerosis									
morning		8 sensitive			8	50		8	100
noon		8 sensitive			8	50		8	100
evening		8 sensitive			8	50		8	100
night		8 sensitive			8	50		8	100
Anemia									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100
Aneurysm									
morning		8	25		16	100		16	100
noon		8	25		16	100		16	100
evening		8	25		16	100		16	100
night		16	10		16	100		16	100
Angina pectoris									
morning		8	25		8	25		8	25
noon		8	25		8	25		8	25
evening		8	10		8	25		8	25

night		8	10		8	25		8	25
Ankylosing spondylitis									
morning		8	10		16	150		16	200
noon		8	25		16	150		16	200
evening		8	25		16	150		16	200
night		8	10		16	150		16	200
Anorgasmia									
morning		8	100		16	50		16	200
noon		8	100		16	50		16	200
evening		8	100		16	50		16	200
night		16	10		16	25		16	100
Aortic aneurysm									
morning		8	25		8	25		8	25
noon		8	25		8	25		8	25
evening		8	25		8	25		8	25
night		8	10		8	25		8	25
Appendicitis									
morning		8	sensitive		8	50		8	50
noon		8	sensitive		8	50		8	50
evening		8	sensitive		8	50		8	50
night		8	sensitive		8	50		8	50
Arrythmias									
morning		8	25		8	25		8	25
noon		8	25		8	25		8	25

evening		8	25		8	25		8	25
night		16	10		8	25		8	25
Arterial Disease									
morning		8	10		16	200		16	200
noon		8	10		16	200		16	200
evening		8	10		16	200		16	200
night		8	10		16	200		16	200
Asthma									
morning		16	10		24	50		24	50
noon		16	50		24	50		24	50
evening		16	25		24	50		24	50
night		16	10		24	50		24	50
Attention deficit disorder/ Attention deficit/ Hyperactivity (ADD/ADHD)									
morning		8	10		16	25		16	25
noon		8	10		16	25		16	25
evening		8	10		16	25		16	25
night		8	10		16	25		16	25
Autism									
morning		8	10		16	10		16	10
noon		8	10		16	10		16	10
evening		8	10		16	10		16	10
night		16	10		16	10		16	10
Autoimmune disease									
morning		16	10		16	25		16	25

noon		16	10		16	25		16	25
evening		16	50		16	25		16	25
night		16	10		16	25		16	25
Autonomic dystonia									
morning		16	10		16	10		16	10
noon		16	10		16	10		16	10
evening		16	10		16	10		16	10
night		16	10		16	10		16	10
Autonomic neuropathy									
morning		16	10		24	200		24	100
noon		16	10		24	200		24	100
evening		16	10		24	200		24	100
night		16	10		24	200		24	100
Back pain									
morning		8	25		16	150		16	200
noon		8	25		16	150		16	200
evening		8	25		16	150		16	200
night		8	25		16	150		16	200
Bed-wetting									
morning		8	25		16	10		26	10
noon		8	25		16	10		26	10
evening		8	25		16	10		26	10
night		16	10		8	10		26	10
Bell ´ s Palsy									

morning		8	100		8	100		8	200
noon		8	100		8	100		8	200
evening		8	100		8	100		8	200
night		16	10		8	100		8	200
Benign prostatic hyperplasia									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Blepharitis									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Bloating									
morning		16	10		16	100		16	100
noon		16	10		16	100		16	100
evening		16	10		16	100		16	100
night		16	10		16	100		16	100
Boils									
morning		8	25		16	100		16	100
noon		8	50		16	100		16	100
evening		8	50		16	100		16	100
night		16	10		16	100		16	100

Brachial plexus injury									
morning		8	25		16	200		16	200
noon		8	50		16	200		16	200
evening		8	50		16	200		16	200
night		16	10		16	200		16	200
Bronchitis									
morning		16	25		24	50		16	50
noon		16	25		24	50		16	50
evening		16	25		24	50		16	50
night		16	10		24	50		16	50
Bruise									
morning		8	25		16	150		24	200
noon		8	25		16	150		24	200
evening		8	25		16	150		24	200
night		16	10		16	150		24	200
Bunion									
morning		8	25		24	200		24	100
noon		8	25		24	200		24	100
evening		8	25		24	200		24	100
night		16	10		24	200		24	100
Burnout									
morning		16	10		16	10		24	10
noon		16	10		16	10		24	10
evening		16	10		16	10		24	10

night		16	sensitive		16	10		24	10
Burn									
morning		16	10		16	150		16	50
noon		16	10		16	150		16	50
evening		16	10		16	150		16	50
night		16	sensitive		16	150		16	50
Bursitis									
morning		8	25		8	150		8	150
noon		8	25		8	150		8	150
evening		8	25		8	150		8	150
night		16	10		8	150		8	150
Calcaneal bursitis									
morning		8	25		16	150		8	400
noon		8	25		16	150		8	400
evening		8	25		16	150		8	400
night		16	10		16	150		8	400
Calf strain									
morning		8	25		8	200		16	200
noon		8	25		8	200		16	200
evening		8	25		8	200		16	200
night		16	10		8	200		16	200
Cancer (accompanying)									
morning		8	25		16	25		16	25
noon		8	25		16	25		16	25

evening		8	10		16	25		16	25
night		16	sensitive		16	10		16	10
Carbuncles									
morning		8	25		16	100		16	100
noon		8	25		16	100		16	100
evening		8	25		16	100		16	100
abend		16	10		16	100		16	100
Carpal tunnel syndrome									
morning		8	25		16	150		16	150
noon		8	25		16	150		16	150
evening		8	25		16	150		16	150
night		16	10		16	150		16	150
Cataract									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Cervical myelopathy									
morning		8	10		16	25		16	50
noon		8	10		16	25		16	50
evening		8	10		16	25		16	50
night		16	10		16	25		16	50
Chalazion									
morning		8	25		16	100		16	200

noon		8	25		16	100		16	200
evening		8	25		16	100		16	200
night		16	10		16	100		16	200
Chickenpox									
morning		8	25		16	10		16	25
noon		8	10		16	10		16	25
evening		8	10		16	10		16	25
night		16	10		16	10		16	25
Childhood (prophylactic)									
morning		8	10		16	10		16	25
noon		8	10		16	10		16	25
evening		8	10		16	10		16	25
night		8	10		16	10		16	25
Cholecystitis									
morning		8	25		8	100		8	200
noon		8	25		8	100		8	200
evening		8	25		8	100		8	200
night		16	10		8	100		8	200
Compartment syndrome									
morning		8	25		16	200		24	200
noon		8	25		16	200		24	200
evening		8	25		16	200		24	200
night		16	10		16	200		24	200
Chronic fatigue syndrome (CFS)									

morning		8	10		16	10		16	25
noon		8	10		16	10		16	25
evening		8	10		16	10		16	25
night		24	sensitive		16	10		16	25
Cicatricial alopecia									
morning		8	10		16	25		24	50
noon		8	10		16	25		24	50
evening		8	10		16	25		24	50
night		16	10		16	25		24	50
Cirrhosis									
morning		8	100		16	150		16	150
noon		8	100		16	150		16	150
evening		8	25		16	150		16	150
night		16	10		16	150		16	150
Cold									
morning		8	25		16	25		16	25
noon		8	25		16	25		16	25
evening		8	10		16	25		16	25
night		16	10		16	25		16	25
Complex regional pain syndrome (CRPS)									
morning		8	sensitive		16	25		16	25
noon		8	25		16	25		16	25
evening		8	25		16	25		16	25
night		8	sensitive		16	25		16	25

Congestive heart failure									
morning		8	10		16	10		24	10
noon		8	10		16	10		24	10
evening		8	10		16	10		24	10
night		8	10		16	10		24	10
Conjunctivitis									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Coronary artery disease									
morning		8	10		16	10		16	10
noon		8	10		16	10		16	10
evening		8	10		16	10		16	10
night		16	sensitive		16	10		16	10
Coxarthritis									
morning		8	25		16	100		16	200
noon		8	25		16	100		16	200
evening		8	25		16	100		16	200
night		16	10		16	100		16	200
Crohn ´s Disease									
morning		8	10		16	10		16	25
noon		8	10		16	10		16	25
evening		8	10		16	10		16	25

night		16	sensitive		16	10		16	25
Cystitis									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Decubitus ulcers									
morning		8	25		24	25		24	50
noon		8	25		24	25		24	50
evening		8	25		24	25		24	50
night		16	10		24	25		24	50
Deep venous thrombosis									
morning		8	25		16	25		16	25
noon		8	25		16	25		16	25
evening		8	25		16	25		16	25
night		16	10		16	25		16	25
Degenerative disc disease (DDD)									
morning		24	10		16	25		16	50
noon		24	10		16	25		16	50
evening		24	10		16	25		16	50
night		24	10		16	25		16	50
Delayed onset muscle soreness									
morning		24	25		24	100		24	200

noon		24	25		24	100		24	200
evening		24	25		24	100		24	200
night		24	10		24	100		24	200
Dementia									
morning		8	100		24	50		24	100
noon		8	50		24	50		24	100
evening		8	25		24	50		24	100
night		16	sensitive		24	50		24	100
Depression									
morning		8	100		16	100		16	100
noon		8	50		16	100		16	100
evening		8	50		16	100		16	100
night		24	10		16	100		16	100
Stenosing tenosynovitis									
morning		8	25		16	150		8	100
noon		8	25		16	150		8	100
evening		8	25		16	150		8	100
night		16	10		16	150		8	100
Diabetes									
morning		8	25		16	100		16	50
noon		8	25		16	100		16	50
evening		8	25		16	100		16	50
night		8	10		16	100		16	50
Diarrhea									

morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100
Diverticulitis									
morning		8	10		8	100		16	100
noon		8	10		8	100		16	100
evening		8			8	100		16	100
night		8	10		8	100		16	100
Dizziness									
morning		8	25		8	25		8	100
noon		8	25		8	25		8	100
evening		8	25		8	25		8	100
night		16	10		8	25		8	100
Dry mouth									
morning		8	25		16	50		16	25
noon		8	25		16	50		16	25
evening		8	25		16	50		16	25
night		16	10		16	50		16	25
Dysmenorrhea									
morning		16	10		16	50		16	50
noon		16	10		16	50		16	50
evening		16	10		16	50		16	50
night		16	10		16	50		16	50

Earache									
morning		8	25		8	10		16	25
noon		8	25		8	10		16	25
evening		8	25		8	10		16	25
night		16	10		8	10		16	25
Ear infection									
morning		8	25		8	10		16	25
noon		8	25		8	10		16	25
evening		8	25		8	10		16	25
night		16	10		8	10		16	25
Eczema (atopic dermatitis)									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Embolism									
morning		8	10		16	10		16	25
noon		8	10		16	10		16	25
evening		8	10		16	10		16	25
night		8	sensitive		16	10		16	25
Emphysema									
morning		8	25		16	25		16	25
noon		8	25		16	25		16	25
evening		8	25		16	25		16	25

night		16	sensitive		16	25		16	25
Epilepsy (Contraindication)									
morning		16	10		8	10		8	25
noon		16	10		8	10		8	25
evening		16	10		8	10		8	25
night		16	sensitive		8	10		8	25
Erectile dysfunction									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		16	10		16	50		16	100
Exhaustion									
morning		16	10		16	25		16	50
noon		16	10		16	25		16	50
evening		16	10		16	25		16	50
night		24	10		16	25		16	50
Failed back surgery syndrome									
morning		24	10		24	25		24	50
noon		24	10		24	25		24	50
evening		24	10		24	25		24	50
night		24	10		24	25		24	50
Fever									
morning		16	sensitive		16	25		16	50
noon		16	sensitive		16	25		16	50

evening		16	sensitive		16	25		16	50
night		16	sensitive		16	25		16	50
Fibromyalgia									
morning		8	sensitive		16	25		16	50
noon		8	sensitive		16	25		16	50
evening		8	sensitive		16	25		16	50
night		8	sensitive		16	25		16	50
Fracture									
morning		8	25		8	200		8	400
noon		8	25		8	200		8	400
evening		8	25		8	200		8	400
night		16	10		8	200		8	400
Furuncles									
morning		8	25		16	100		16	100
noon		8	25		16	100		16	100
evening		8	25		16	100		16	100
night		16	10		16	100		16	100
Gallstones									
morning		8	25		8	100		8	400
noon		8	25		8	100		8	400
evening		8	25		8	100		8	400
night		16	10		8	100		8	400
Ganglion cyst									
morning		8	25		24	200		24	400

noon		8	25		24	200		24	400
evening		8	25		24	200		24	400
night		16	10		24	200		24	400
Gastritis									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100
Gastroesophageal reflux disease (GERD)									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100
Gingivitis									
morning		8	25		16	100		16	200
noon		8	50		16	100		16	200
evening		8	25		16	100		16	200
night		8	10		16	100		16	200
Glaucoma									
morning		8	25		16	50		16	150
noon		8	50		16	50		16	150
evening		8	25		16	50		16	150
night		16	10		16	50		16	150
Goiter									

morning		8	25		16	50		16	150
noon		8	50		16	50		16	150
evening		8	25		16	50		16	150
night		16	10		16	50		16	150
Grave ´s ophthalmopathy									
morning		8	25		24	50		16	100
noon		8	25		24	50		16	100
evening		8	25		24	50		16	100
night		16	10		24	50		16	100
Golfer ´s elbow									
morning		8	50		16	150		8	100
noon		8	50		16	150		8	100
evening		8	50		16	150		8	100
night		24	10		16	150		8	100
Gout									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100
Hammer toe									
morning		8	25		8	100		8	200
noon		8	25		8	100		8	200
evening		8	25		8	100		8	200
night		8	10		8	100		8	200

Heart attack									
morning		8	10		8	25		8	25
noon		8	10		8	25		8	25
evening		8	10		8	25		8	25
night		8	10		8	25		8	25
Heartburn									
morning		8	25		24	50		24	100
noon		8	25		24	50		24	100
evening		8	25		24	50		24	100
night		8	10		24	50		24	100
Heel spur									
morning		8	25		16	400		24	400
noon		8	25		16	400		24	400
evening		8	25		16	400		24	400
night		8	10		16	400		24	400
Hematoma									
morning		8	25		24	200		24	200
noon		8	25		24	200		24	200
evening		8	25		24	200		24	200
night		8	10		24	200		24	200
Hemolytic anemia									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50

night		8	10		16	25		16	50
Hemorrhage									
morning		8	10		16	25		16	10
noon		8	10		16	25		16	10
evening		8	10		16	25		16	10
night		16	10		16	25		16	10
Hemorrhoids									
morning		8	50		24	50		24	25
noon		8	25		24	50		24	25
evening		8	25		24	50		24	25
night		16	10		24	50		24	25
Hepatitis									
morning		8	25		16	150		16	150
noon		8	25		16	150		16	150
evening		8	25		16	150		16	150
night		16	10		16	150		16	150
Herniated discs									
morning		16	10		16	200		16	150
noon		16	10		16	200		16	150
evening		16	10		16	200		16	150
night		24	10		24	200		24	150
Herpes simplex virus									
morning		8	25		8	200		8	200
noon		8	25		8	200		8	200

evening		8	25		8	200		8	200
night		16	10		8	200		8	200
Herpes zoster									
morning		8	25		8	200		8	200
noon		8	25		8	200		8	200
evening		8	25		8	200		8	200
night		16	10		8	200		8	200
Hyperhidrosis									
morning		16	25		16	50		24	50
noon		16	25		16	50		24	50
evening					16	50		24	50
night		16	10		16	50		24	50
Hypertension									
morning		8	25		16	50		16	50
noon		8	10		16	50		16	50
evening		8	10		16	50		16	50
night		8	sensitive		16	50		16	50
Hyperthyroidism									
morning		8	25		8	10		8	10
noon		8	10		8	10		8	10
evening		8	10		8	10		8	10
night		16	10		8	10		8	10
Iliotibial band syndrome									
morning		16	100		16	150		16	400

noon		16	25		16	150		16	400
evening		16	25		16	150		16	400
night		24	10		16	150		16	400
Immune system support									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Impotence									
morning		8	25		16	100		24	150
noon		8	25		16	100		24	150
evening		8	25		16	100		24	150
night		16	10		16	100		24	150
Infertility									
morning		16	10		16	100		24	150
noon		16	10		16	100		24	150
evening		16	10		16	100		24	150
night		16	10		16	100		24	150
Inflammation									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Inflammatory bowel disease									

morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		8	10		16	25		16	50
Influenza									
morning		8	10		16	10		16	25
noon		8	10		16	10		16	25
evening		8	10		16	10		16	25
night		8	10		16	10		16	25
Insomnia									
morning		8	50		16	25		16	50
noon		8	50		16	25		16	50
evening		8	25		16	25		16	50
night		24	10		16	25		16	50
Peripheral vascular disease									
morning		8	25		16	50		24	50
noon		8	25		16	50		24	50
evening		8	25		16	50		24	50
night		16	10		16	50		24	50
Irritable Bowel Syndrome									
morning		8	25		16	50		24	25
noon		8	25		16	50		24	25
evening		8	25		16	50		24	25
night		8	10		16	50		24	25

Joint dislocation									
morning		8	25		16	150		8	100
noon		8	25		16	150		8	100
evening		8	25		16	150		8	100
night		16	10		16	150		8	100
Jumper´s knee									
morning		8	25		16	150		8	100
noon		8	25		16	150		8	100
evening		8	25		16	150		8	100
night		16	10		16	150		8	100
Juvenile idiopathic arthritis									
morning		8	10		16	50		24	100
noon		8	10		16	50		24	100
evening		8	10		16	50		24	100
night		8	10		16	50		24	100
Kidney stones									
morning		8	25		16	100		24	50
noon		8	25		16	100		24	50
evening		8	25		16	100		24	50
night		8	10		16	100		24	50
Sprain									
morning		8	25		8	150		8	200
noon		8	25		8	150		8	200
evening		8	25		8	150		8	200

night		16	10		8	150		8	200
Laryngitis									
morning		8	25		16	50		8	200
noon		8	50		16	50		8	200
evening		8	25		16	50			
night		16	10		16	50		8	200
Lateral epicondylitis									
morning		8	25		16	50		8	200
noon		8	25		16	50		8	200
evening		8	25		16	50		8	200
night		16	10		16	50		8	200
Legg-Calve-Perthes-Disease									
morning		8	25		24	100		8	400
noon		8	25		24	100		8	400
evening		8	25		24	100		8	400
night		8	10		24	100		8	400
Lichen planus									
morning		8	25		8	25		8	100
noon		8	25		8	25		8	100
evening		8	25		8	25		8	100
night		8	10		8	25		8	100
Ligament injuries									
morning		8	25		16	100		16	400
noon		8	25		16	100		16	400

evening		8	25		16	100		16	400
night		16	10		16	100		16	400
Liver disease									
morning		8	50		16	100		16	100
noon		8	25		16	100		16	100
evening		8	25		16	100		16	100
night		16	10		16	100		16	100
Lou Gehrig ´ s disease									
morning		8	sensitive		8	100		16	100
noon		8	sensitive		8	100		16	100
evening		8	sensitive		8	100		16	100
night		8	sensitive		8	100		16	100
Low back pain									
morning		8	25		16	150		24	100
noon		8	25		16	150		24	100
evening		8	25		16	150		24	100
night		16	10		16	150		24	100
Malignancies									
morning		8	10		16	10		16	10
noon		8	10		16	10		16	10
evening		8	10		16	10		16	10
night		8	sensitive		16	10		16	10
Mastoiditis									
morning		8	25		16	50		8	150

noon		8	25		16	50		8	150
evening		8	25		16	50		8	150
night		8	10		16	50		8	150
Measles									
morning		8	25		16	25		16	10
noon		8	25		16	25		16	10
evening		8	25		16	25		16	10
night		16	10		16	25		16	10
Meniere ´ s disease									
morning		8	100		8	50		8	100
noon		8	50		8	50		8	100
evening		8	25		8	50		8	100
night		8	10		8	50		8	100
Meniscus tears									
morning		8	25		16	200		16	400
noon		8	25		16	200		16	400
evening		8	25		16	200		16	400
night		16	10		16	200		16	400
Menopausal symptoms									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100
Menorrhagia									

morning		8	10		16	50		16	150
noon		8	25		16	50		16	150
evening		8	25		16	50		16	150
night		8	10		16	50		16	150
Meralgia paresthetica									
morning		8	10		16	50		16	150
noon		8	25		16	50		16	150
evening		8	25		16	50		16	150
night		16	10		16	50		16	150
Metabolic disease									
morning		8	100		24	50		24	100
noon		8	50		24	50		24	100
evening		8	25		24	50		24	100
night		16	10		24	50		24	100
Metastatic disease									
morning		8	10		8	10		8	10
noon		8	10		8	10		8	10
evening		8	10		8	10		8	10
night		16	sensitive		8	10		8	10
Metatarsalgia									
morning		8	10		16	200		16	200
noon		8	25		16	200		16	200
evening		8	25		16	200		16	200
night		16	10		16	200		16	200

Migraine headache									
morning		8	10		16	25		24	25
noon		8	25		16	25		24	25
evening		8	25		16	25		24	25
night		16	10		16	25		24	25
Lactose intolerance									
morning		8	10		16	25		24	25
noon		8	25		16	25		24	25
evening		8	25		16	25		24	25
night		16	10		16	25		24	25
Mononeuritis multiplex									
morning		8	10		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		16	10		16	50		16	100
Mononucleosis									
morning		8	10		16	25		16	25
noon		8	10		16	25		16	25
evening		8	10		16	25		16	25
night		8	sensitive		16	25		16	25
Multiple scleroris									
morning		8	150		16	100		16	150
noon		8	50		16	100		16	150
evening		8	25		16	100		16	150

night		8	sensitive		16	100		16	150
Mumps									
morning		8	10		16	25		16	25
noon		8	25		16	25		16	25
evening		8	25		16	25		16	25
night		16	10		16	25		16	25
Muscle contraction									
morning		16	25		16	150		16	200
noon		8	25		16	150		16	200
evening		8	25		16	150		16	200
night		16	10		16	150		16	200
Muscle contusion									
morning		16	25		16	150		16	200
noon		8	25		16	150		16	200
evening		8	25		16	150		16	200
night		16	10		16	150		16	200
Muscle cramps									
morning		16	25		8	100		16	150
noon		8	25		8	100		16	150
evening		8	25		8	100		16	150
night		16	10		8	100		16	150
Muscle aches									
morning		16	25		8	50		16	50
noon		8	25		8	50		16	50

evening		8	25		8	50		16	50
night		16	10		8	50		16	50
Muscle spasm									
morning		16	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Muscle strain									
morning		16	25		8	200		8	400
noon		8	25		8	200		8	400
evening		8	25		8	200		8	400
night		16	10		8	200		8	400
Muscle tension									
morning		16	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Muscle tension headache									
morning		8	25		24	10		24	25
noon		8	25		24	10		24	25
evening		8	25		24	10		24	25
night		16	10		24	10		24	25
Mycotic infection									
morning		8	10		24	10		24	50

noon		8	10		24	10		24	50
evening		8	10		24	10		24	50
night		16	10		24	10		24	50
Myocardial infarction									
morning		8	10		8	25		8	25
noon		8	10		8	25		8	25
evening		8	10		8	25		8	25
night		8	10		8	25		8	25
Myofascial pain									
morning		8	25		8	50		8	100
noon		8	25		8	50		8	100
evening		8	25		8	50		8	100
night		8	10		8	50		8	100
Fibrodysplasia ossificans progressiva									
morning		8	25		16	50		16	50
noon		8	25		16	50		16	50
evening		8	25		16	50		16	50
night		16	10		16	50		16	50
Myringotomy									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Nausea									

morning		16	10		24	10		24	25
noon		16	10		24	10		24	25
evening		16	10		24	10		24	25
night		16	10		24	10		24	25
Neck pain									
morning		8	25		24	10		24	25
noon		8	25		24	10		24	25
evening		8	25		24	10		24	25
night		8	10		24	10		24	25
Necrosis									
morning		8	25		24	200		16	400
noon		8	25		24	200		16	400
evening		8	10		24	200		16	400
night		16	10		24	200		16	400
Nerve injuries									
morning		8	25		16	25		24	25
noon		16	25		16	25		24	25
evening		8	10		16	25		24	25
night		16	10		16	25		24	25
Neuralgia									
morning		8	25		16	25		24	25
noon		16	25		16	25		24	25
evening		8	10		16	25		24	25
night		16	10		16	25		24	25

Neuritis									
morning		8	25		16	50		16	100
noon		8	10		16	50		16	100
evening		8	10		16	50		16	100
night		8	sensitive		16	50		16	100
Neurodermatitis									
morning		8	25		8	50		16	50
noon		8	25		8	50		16	50
evening		8	10		8	50		16	50
night		16	10		8	50		16	50
Neuropathic pain									
morning		8	sensitive		8	10		16	10
noon		8	sensitive		8	10		16	10
evening		8	sensitive		8	10		16	10
night		8	sensitive		8	10		16	10
Nocturnal enuresis									
morning		8	25		8	10		8	10
noon		8	25		8	10		8	10
evening		8	25		8	10		8	10
night		8	10		24	10		24	10
Obesity									
morning		8	100		16	200		16	400
noon		8	50		16	200		16	400
evening		8	50		16	200		16	400

night		24	10		16	200		16	400
Occlusive artery disease									
morning		8	25		24	150		24	150
noon		8	25		24	150		24	150
evening		8	25		24	150		24	150
night		8	10		24	150		24	150
Olecranon bursitis									
morning		8	25		8	150		8	150
noon		8	25		8	150		8	150
evening		8	25		8	150		8	150
night		8	10		8	150		8	150
Oral candidiasis									
morning		8	50		16	25		16	50
noon		8	50		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Orthostatic hypotension									
morning		8	25		16	50		24	50
noon		8	25		16	50		24	50
evening		8	10		16	50		24	50
night		16	10		16	50		24	50
Osgood-Schlatter´s disease									
morning		8	200		16	150		16	200
noon		8	200		16	150		16	200

evening		8	200		16	150		16	200
night		8	200		16	150		16	200
Osteoarthritis									
morning		8	25		16	200		16	200
noon		8	25		16	200		16	200
evening		8	25		16	200		16	200
night		8	10		16	200		16	200
Osteochondrosis									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Osteomyelitis									
morning		8	25		24	100		24	100
noon		8	25		24	100		24	100
evening		8	25		24	100		24	100
night		8	10		24	100		24	100
Osteonecrosis									
morning		8	25		24	100		24	100
noon		8	25		24	100		24	100
evening		8	25		24	100		24	100
night		8	10		24	100		24	100
Osteopenia									
morning		8	25		24	100		24	100

noon		8	25		24	100		24	100
evening		8	25		24	100		24	100
night		8	10		24	100		24	100
Osteoporosis									
morning		8	50		24	100		24	200
noon		8	50		24	100		24	200
evening		8	50		24	100		24	200
night		24	10		24	100		24	200
Otitis externa									
morning		8	10		16	10		8	50
noon		8	10		16	10		8	50
evening		8	10		16	10		8	50
night		8	10		16	10		8	50
Otitis media									
morning		8	10		16	10		8	50
noon		8	10		16	10		8	50
evening		8	10		16	10		8	50
night		8	10		16	10		8	50
Otosclerosis									
morning		8	25		24	10		16	50
noon		8	25		24	10		16	50
evening		8	25		24	10		16	50
night		16	10		24	10		16	50
Ovarian cysts									

morning		8	25		16	50		24	50
noon		8	25		16	50		24	50
evening		8	25		16	50		24	50
night		8	10		16	50		24	50
Overtraining syndrome									
morning		16	10		24	10		24	10
noon		16	10		24	10		24	10
evening		16	10		24	10		24	10
night		24	10		24	10		24	10
Pain (acute)									
morning		8	50		24	200		24	400
noon		8	25		24	200		24	400
evening		8	25		24	200		24	400
night		16	10		24	200		24	400
Pain (cronic)									
morning		8	25		16	25		24	25
noon		8	10		16	25		24	25
evening		8	10		16	25		24	25
night		16	10		16	25		24	25
Pancreatitis									
morning		8	25		16	50		24	50
noon		8	25		16	50		24	50
evening		8	25		16	50		24	50
night		16	10		16	50		24	50

Paralysis									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		24	10		16	50		16	100
Parkinson´s disease									
morning		8	150		16	100		16	100
noon		8	100		16	100		16	100
evening		8	50		16	100		16	100
night		16	10		16	100		16	100
Patellar tendinitis									
morning		8	25		16	150		8	100
noon		8	25		16	150		8	100
evening		8	25		16	150		8	100
night		16	10		16	150		8	100
Periodontal disease									
morning		8	25		16	200		24	400
noon		8	25		16	200		24	400
evening		8	25		16	200		24	400
night		8	10		16	200		24	400
Periostitis									
morning		8	25		8	200		8	200
noon		8	25		8	200		8	200
evening		8	25		8	200		8	200

night		16	10		8	200		8	200
Peripheral artery disease									
morning		8	25		24	150		24	150
noon		8	25		24	150		24	150
evening		8	25		24	150		24	150
night		8	10		24	150		24	150
Peripheral neuropathy									
morning		16	10		24	200		16	400
noon		16	10		24	200		16	400
evening		16	10		24	200		16	400
night		16	10		24	200		16	400
Pharyngitis									
morning		8	25		16	50		24	50
noon		8	25		16	50		24	50
evening		8	25		16	50		24	50
night		8	10		16	50		24	50
Pneumonia									
morning		8	50		8	50		16	50
noon		8	50		8	50		16	50
evening		8	25		8	50		16	50
night		8	10		8	50		16	50
Polyneuropathy									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50

evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Post-exercise recovery									
morning		24	25		24	10		24	25
noon		24	25		24	10		24	25
evening		24	25		24	10		24	25
night		24	10		24	10		24	25
Postherpetic neuralgia									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Pregnancy (Contraindication)									
morning		8	10		16	10		16	10
noon		8	10		16	10		16	10
evening		8	10		16	10		16	10
night		8	10		16	10		16	10
Premenstrual syndrome (PMS)									
morning		8	25		8	50		16	50
noon		8	25		8	50		16	50
evening		8	25		8	50		16	50
night		16	10		8	50		16	50
Prepatellar bursitis									
morning		8	25		8	150		8	150

noon		8	25		8	150		8	150
evening		8	25		8	150		8	150
night		8	10		8	150		8	150
Pressure ulcer									
morning		16	50		16	100		24	50
noon		16	50		16	100		24	50
evening		16	50		16	100		24	50
night		24	10		16	100		24	50
Prosthetic joint									
morning		8	25		24	150		16	400
noon		8	25		24	150		16	400
evening		8	25		24	150		16	400
night		8	10		24	150		16	400
Prosthetic joint loosening									
morning		8	25		24	50		16	100
noon		8	25		24	50		16	100
evening		8	25		24	50		16	100
night		8	10		24	50		16	100
Psoriasis									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		8	10		16	25		16	50
Pulmonary embolism									

morning		8	10		16	10		24	10
noon		8	10		16	10		24	10
evening		8	10		16	10		24	10
night		8	10		16	10		24	10
Pyelonephritis									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Quadriceps contusion									
morning		8	25		16	150		16	200
noon		8	25		16	150		16	200
evening		8	25		16	150		16	200
night		16	10		16	150		16	200
Radiculopathy									
morning		8	25		16	100		16	200
noon		8	25		16	100		16	200
evening		8	25		16	100		16	200
night		16	10		16	100		16	200
Raynaud ´s disease									
morning		8	25		24	100		16	200
noon		8	25		24	100		16	200
evening		8	25		24	100		16	200
night		8	10		24	100		16	200

Complex regional pain syndrome									
morning		8	25		24	10		24	25
noon		8	25		24	10		24	25
evening		8	10		24	10		24	25
night		8 sensitive			24	10		24	25
Restless leg syndrome (RLS)									
morning		8	25		16	100		16	200
noon		8	25		16	100		16	200
evening		8	10		16	100		16	200
night		8 sensitive			16	100		16	200
Retinitis pigmentosa									
morning		8	25		16	25		16	50
noon		8	25		16	25		16	50
evening		8	25		16	25		16	50
night		16	10		16	25		16	50
Rheumatic fever									
morning		8	50		8	25		8	50
noon		8	50		8	25		8	50
evening		8	50		8	25		8	50
night		8	10		8	25		8	50
Rheumatoid heart disease									
morning		8	50		8	25		8	50
noon		8	50		8	25		8	50
evening		8	50		8	25		8	50

night		8	10		8	25		8	50
Rheumatoid arthritis									
morning		8	25		16	50		16	50
noon		8	25		16	50		16	50
evening		8	25		16	50		16	50
night		8	10		16	50		16	50
Roseola									
morning		8	10		16	25		16	50
noon		8	10		16	25		16	50
evening		8	10		16	25		16	50
night		16	10		16	25		16	50
Rotator cuff tendinitis									
morning		8	25		16	150		8	100
noon		8	25		16	150		8	100
evening		8	25		16	150		8	100
night		16	10		16	150		8	100
Rubella									
morning		8	25		16	25		16	25
noon		8	25		16	25		16	25
evening		8	25		16	25		16	25
night		16	10		16	25		16	25
Sacroiliac joint dysfunction									
morning		8	25		8	200		16	200
noon		8	25		8	200		16	200

evening		8	25		8	200		16	200
night		16	10		8	200		16	200
Salivary glands									
morning		8	25		16	50		16	50
noon		8	25		16	50		16	50
evening		8	25		16	50		16	50
night		16	10		16	50		16	50
Sciatica									
morning		8	25		24	150		24	400
noon		8	25		24	150		24	400
evening		8	25		24	150		24	400
night		8	10		24	150		24	400
Scoliosis									
morning		8	25		16	100		24	100
noon		8	25		16	100		24	100
evening		8	25		16	100		24	100
night		8	10		16	100		24	100
Seizure disorder (Contraindication)									
morning		8	10		8	10		8	10
noon		8	10		8	10		8	10
evening		8	10		8	10		8	10
night		8	10		8	10		8	10
Sexual responds									
morning		8	100		16	50		24	100

noon		8	50		16	50		24	100
evening		8	25		16	50		24	100
night		8	10		16	50		24	100
Shin splints									
morning		8	25		8	200		8	200
noon		8	25		8	200		8	200
evening		8	25		8	200		8	200
night		16	10		8	200		8	200
Shingles									
morning		8	25		8	25		8	50
noon		8	25		8	25		8	50
evening		8	25		8	25		8	50
night		16	10		8	25		8	50
Sickle cell anemia									
morning		8	25		16	25		24	25
noon		8	25		16	25		24	25
evening		8	25		16	25		24	25
night		8	10		16	25		24	25
Sinusitis									
morning		8	25		16	100		16	150
noon		8	25		16	100		16	150
evening		8	25		16	100		16	150
night		16	10		16	100		16	150
Sleep disturbances									

morning		8	150		16	50		16	50
noon		8	100		16	50		16	50
evening		8	50		16	50		16	50
night		24	10		16	50		16	50
Sore throat									
morning		8	25		16	50		8	100
noon		8	25		16	50		8	100
evening		8	25		16	50		8	100
night		16	10		16	50		8	100
Spinal cord injuries									
morning		8	25		24	50		16	200
noon		8	25		24	50		16	200
evening		8	25		24	50		16	200
night		8	10		24	50		16	200
Spinal fusion									
morning		8	25		24	50		16	200
noon		8	25		24	50		16	200
evening		8	25		24	50		16	200
night		8	10		24	50		16	200
Spinal pain									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100

Spinal surgery									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100
Spondylolisthesis									
morning		8	25		16	25		24	25
noon		8	25		16	25		24	25
evening		8	25		16	25		24	25
night		16	10		16	25		24	25
Sport injuries									
morning		8	100		16	200		16	400
noon		8	50		16	200		16	400
evening		8	25		16	200		16	400
night		24	10		16	200		16	400
Sprain									
morning		8	25		8	200		8	200
noon		8	25		8	200		8	200
evening		8	25		8	200		8	200
night		16	10		8	200		8	200
Steatosis									
morning		8	25		8	50		16	50
noon		8	25		8	50		16	50
evening		8	25		8	50		16	50

night		8	10		8	50		16	50
Steroid use and abuse									
morning		16	50		24	100		24	200
noon		16	50		24	100		24	200
evening		16	50		24	100		24	200
night		24	10		24	100		24	200
Stress									
morning		8	50		16	25		24	25
noon		16	25		16	25		24	25
evening		16	25		16	25		24	25
night		24	10		16	25		24	25
Stroke									
morning		8	50		8	25		16	25
noon		8	25		8	25		16	25
evening		8	25		8	25		16	25
night		16	10		8	25		16	25
Sty									
morning		8	25		16	25		24	25
noon		8	25		16	25		24	25
evening		8	10		16	25		24	25
night		16	10		16	25		24	25
Sudek´s dystrophy									
morning		8	25		8	25		16	25
noon		8	25		8	25		16	25

evening		8	10		8	25		16	25
night		8	sensitive		8	25		16	25
Sunburn									
morning		8	25		8	25		8	50
noon		8	25		8	25		8	50
evening		8	10		8	25		8	50
night		16	10		8	25		8	50
Supraventricular tachycardia									
morning		8	25		8	25		8	50
noon		8	25		8	25		8	50
evening		8	10		8	25		8	50
night		16	10		8	25		8	50
Synovial cyst									
morning		8	25		24	200		24	400
noon		8	25		24	200		24	400
evening		8	10		24	200		24	400
night		16	10		24	200		24	400
Synovitis									
morning		8	25		8	100		8	200
noon		8	25		8	100		8	200
evening		8	25		8	100		8	200
night		8	10		8	100		8	200
Systemically lupus erythematosus (SLE)									
morning		8	sensitive		8	100		8	100

noon		8	sensitive		8	100		8	100
evening		8	sensitive		8	100		8	100
night		8	sensitive		8	100		8	100
Tachycardia									
morning		8	25		8	25		8	50
noon		8	25		8	25		8	50
evening		8	10		8	25		8	50
night		16	10		8	25		8	50
Tendinitis									
morning		8	25		24	50		16	150
noon		8	25		24	50		16	150
evening		8	10		24	50		16	150
night		8	10		24	50		16	150
Tendon rupture									
morning		8	25		16	150		8	100
noon		8	25		16	150		8	100
evening		8	10		16	150		8	100
night		16	10		16	150		8	100
Tennis elbow									
morning		8	100		16	200		16	400
noon		8	50		16	200		16	400
evening		8	50		16	200		16	400
night		16	10		16	200		16	400
Tennis leg									

morning		8	100		16	200		16	400
noon		8	50		16	200		16	400
evening		8	50		16	200		16	400
night		16	10		16	200		16	400
Tenosynovitis									
morning		8	25		16	150		8	100
noon		8	25		16	150		8	100
evening		8	10		16	150		8	100
night		16	10		16	150		8	100
Thrombophlebitis									
morning		16	150		16	100		24	100
noon		16	50		16	100		24	100
evening		16	25		16	100		24	100
night		16	10		16	100		24	100
Tinnitus									
morning		8	25		16	50		24	50
noon		8	25		16	50		24	50
evening		8	10		16	50		24	50
night		16	10		16	50		24	50
Torn muscle									
morning		8	25		8	200		16	200
noon		8	25		8	200		16	200
evening		8	10		8	200		16	200
night		16	10		8	200		16	200

Torticollis									
morning		8	25		8	50		8	50
noon		8	25		8	50		8	50
evening		8	10		8	50		8	50
night		16	10		8	50		8	50
Trigeminal neuralgia									
morning		8	50		16	25		16	50
noon		8	25		16	25		16	50
evening		8	10		16	25		16	50
night		8	10		16	25		16	50
Trochanteric bursitis									
morning		8	25		8	150		8	150
noon		8	25		8	150		8	150
evening		8	25		8	150		8	150
night		8	10		8	150		8	150
Ulcerative colitis									
morning		8	25		16	50		24	50
noon		8	25		16	50		24	50
evening		8	25		16	50		24	50
night		8	10		16	50		24	50
Ulcers									
morning		8	25		16	150		16	200
noon		8	25		16	150		16	200
evening		8	10		16	150		16	200

night		16	10		16	150		16	200
Urethritis									
morning		8	25		8	100		16	100
noon		8	25		8	100		16	100
evening		8	25		8	100		16	100
night		8	10		8	100		16	100
Urinary incontinence									
morning		8	25		16	50		24	50
noon		8	25		16	50		24	50
evening		8	25		16	50		24	50
night		8	10		16	50		24	50
Urinary tract infection									
morning		8	25		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		8	10		16	50		16	100
Vaginal candidiasis									
morning		8	50		24	25		24	50
noon		8	25		24	25		24	50
evening		8	25		24	25		24	50
night		8	10		24	25		24	50
Varicella-zoster virus									
morning		16	50		24	25		24	50
noon		16	25		24	25		24	50

evening		16	25		24	25		24	50
night		16	10		24	25		24	50
Varicose veins									
morning		16	50		16	50		24	50
noon		16	50		16	50		24	50
evening		16	25		16	50		24	50
night		16	10		16	50		24	50
Venous disorder									
morning		8	50		16	50		24	50
noon		8	50		16	50		24	50
evening		8	25		16	50		24	50
night		16	10		16	50		24	50
Whiplash									
morning		8	25		8	100		16	100
noon		8	25		8	100		16	100
evening		8	25		8	100		16	100
night		8	10		8	100		16	100
Wound healing									
morning		8	25		24	25		24	50
noon		8	25		24	25		24	50
evening		8	25		24	25		24	50
night		16	10		24	25		24	50
Xerostomia									
morning		8	25		8	10		8	10

noon		8	25		8	10		8	10
evening		8	25		8	10		8	10
night		16	10		8	10		8	10
Prevention									
morning		8	50		16	50		16	100
noon		8	25		16	50		16	100
evening		8	25		16	50		16	100
night		24	10		16	50		16	100
Competition preparation									
morning		8	150		24	200		24	400
noon		8	150		24	200		24	400
evening		8	150		24	200		24	400
night		24	10		24	200		24	400